

# **HF | STAIR & RAILING**

Since 1999, House of Forgings has been at the forefront of designing innovative and decorative stair balustrades. Our sophisticated designs and versatile material options make us the most sought-after provider of stair products. Our unique designs meet architectural and design needs worldwide, making them an excellent addition to any home. Using a range of exceptional hardwood and softwood species, stainless steel, and iron, we continue to combine the stair's form and function needs. Choose House of Forgings and experience the perfect blend of elegance and functionality.

STAIR | INNOVATION | DEVELOPMENT | DESIGN

COLORADO - NORTH CAROLINA - TEXAS

USA





# "A collective focusing on the stair industry of the future"

The SMA | Stairbuilders & Manufacturers Association is an active network of stairbuilders, installers, stair part manufacturers, distributors, and dealers. Ancillary companies that provide services and/or products in support of the industry, as well as design and regulatory professionals, are also members. Each member's value contributes to the comprehensive expertise of the association.

The SMA is building the greatest resource of knowledge and tools contributing to the SUCCESS of our Members and the Stair Industry.

# The SMA offers:

- Education
- A robust knowledge base
- Publications
- Certification
- Industry networking opportunities

This benefits our members as well as the architect, builder, code official, interior designer, and homeowner alike.

Join US!







# **Table of Contents**

WOOD Newels & Balusters Handrail & Fittings Treads Starter Steps Lumber & Plywood Moulding Accessories	4-30 4-20 21-24 25-27 28 28 29
POWDER COATED & STAINLESS STEEL Finishes & Patinas Element Modern Railing System Horizontal Bar Railing Heights Harmony Soho Foundation Mega Wentworth Aalto Tuscan Monte Carlo Designer Stainless Gothic Round Versatile Ribbon Twist Accessories	31-85 32-33 34-35 36-37 38-39 40-4 42-43 44-45 46-47 48-5 52-55 56-6 62-63 64-65 68-69 70-73 74-77 78-79 80-83 84-85
FORGED PANELS	86-87
AXIA STAIR & RAILING SYSTEMS (Stainless Steel Cable)	88-92
SALES & MARKETING SUPPORT	93-95
CUSTOM IRON FABRICATION & FINISHING	96



# Wood | Stair Products Offering

The warmth and strength of wooden stair railings and balustrades are the foundations for handcrafted, old-world craftsmanship and construction. From the hands of artisans to the sleek machining of hard square modern lines, we provide both the traditional and contemporary wood offerings for today's updated staircase needs. HF Stair and Rail has the steel and wood products for today's stairs.





# SKANDI



# Modern Scandinavian Style SKANDI\* is the intersection of minimal lines with the functional durability of Scandinavian design. Rounded edges create an organic flow, introducing natural lines into the living space.








# Stabilizer Newel Specifications

- Pre-drilled 3/4" x 2" hole
- Includes 3/4" x 2-5/8" dowel pin
- Use as a standard stabilizer connected directly to handrail or use with standard handrail fittings.

# **Baluster Specifications**

- Pre drilled 1/2" x 2-1/2" hole
- Includes 1/2" x 3" pin
- Use on level steps, balconies or angled kneewalls.



**U.S Patent Pending** 





# FORESTKRAFT WOOD STAIR & RAILING PRODUCTS



White Oak (WO)



(ME)



(PR)

# Box Newels Non removable caps

(RO)



# Routed Newels Non removable caps





Shown with optional base 4-1/2" x 21-3/4" (sold separately) **BASE-4000** 



Shown with optional base 6-1/2" x 21-3/4" (sold separately)

BASE-5000

# **Blank Newel Caps**

Available for: 3-1/4" and 5-1/2" blank newels

# **Newel Bases**



3-1/4" Square Newels

HT. 1-3/4" W= 3-1/4" SQUARE-CAP-5000 5-1/2" HT. 2" W= 5-1/2" Square Newels

PYRAMID-CAP-5000 HT. 1-5/8" W= 5-1/2"

STACKED-CAP-4000 HT. 2-1/4" W= 3-1/4"

STACKED-CAP-5000 HT. 2-3/4" W= 5-1/2"

COVE-CAP-4000 HT. 2-1/2" W= 4-5/8"


COVE-CAP-5000 HT. 2-7/8" W= 6-7/8"



# **Blank Newels**




3-1/4" and 5-1/2" blank newels shown with optional bases and caps - sold separately Blank Newel Options: Caps / Bases Additional configuration options available.



# **BOX NEWELS**





# **AVAILABLE SPECIES**











Solid Blank Newels 3" Width



White Oak (WO)

Maple (ME)

Alder (AR)

Poplar (PR)



SOLID

RO WO PR 8 Blank Newel 3056

HT. 56"

W= 3"

SOLID



Blank

Newel

HT. 56"

W= 3"

SOLID

Chamfered Top

RO WO

ME

AR PR

Blank

Newel

3556

HT. 56"

SOLID

W= 3-1/2"

3056-CH







Made from 3-4 ply same species material

### Solid Blank Newels 3-1/2" Width



SOLID



SOLID



SOLID



# BLANK NEWEL CONSTRUCTION

# TYPE 1 - SOLID

- Full color match
- 3-4 Ply solid wood material



# TYPE 2 - VENEERED

- Engineered
- Veneer on all 4 sides
- Same species core material







# MODERN HANDRAIL BRACKET Cost Aluminum Mounting hardware include: 3 pcs. 2-1/2\* Sq. Mounting Plate 3-1/2\* Extension From Wall 3-1/2\* Height HFSTB.3004






# AUR HARDWARE COLLECTION



US PATENT PENDING 11.04846.0652 / 11.04847.0652 / 11.04848.0652 / 11.04849.0652 / 11.04850.0652



# **TURNED NEWELS**

Our wood products are turned from solid material.










# HANDRAIL PROFILES





6210 Straight Rail
6210-B Bending Rail
bending rail includes moulding



6284 Straight Rail no fittings available



6484 Straight Rail no fittings available




6060 Straight Rail

no fittings available



6010 Straight Rail
6010-B Bending Rail
bending rail includes moulding



6084 Straight Rail 6084-B Bending Rail



6500 Straight Rail 6500-B Bending Rail



6002 Straight Rail Bending Rail

no fittings available

# HANDRAIL CONSTRUCTION



**FINGER JOINT** - A set of complementary, interlocking profiles in two pieces of wood, which are then glued. The cross-section of the joint resembles the interlocking of fingers between two hands, hence the name "finger joint".

Pro: More surface area for glue


Con: Not as attractive



**BUTT JOINT** - Straight seem. Two pieces of material are joined by simply placing their ends together without any special shaping.


Pro: More attractive

Con: Less structurally sound



# FINGERJOINT RAIL

Lowest Quality - Contractor Grade 16' Length: 4-6 finger joints in cap 8-10 finger joints in 2nd and 3rd level



# SOLID CAP RAIL

Good Quality

16' Length: 1 butt joint in cap 8-10 finger joints in 2nd and 3rd level



# CORE RAIL(Engineered)

Better Quality - Imported

16' Length: 1 butt joint in cap

4-6 butt joints on side, excellent color match



# **ALL SOLID**


Best Quality - Three plys of solid wood - Domestic

16' Length: All solid cap 4-6 finger joints on middle ply



# HANDRAIL FITTINGS





# TREADS/STEPS/LUMBER/PLY

# TREADS

8070

**Bull Nose Tread** 1-1/16" x 11-1/2" x 42, 48, 54, 60, 72, 84, 96"



# CLASSIC TREADS

8070-13×

Bull Nose Tread 1-1/16" x 13" x 48, 54, 60, 72, 84, 96"

8070-18 x

Bull Nose Tread 1-1/16" x 18" x 48, 54, 60, 72, 84"

8070-20 x 60

Bull Nose Tread 1-1/16" x 20" x 60"

8070-20 x 72

**Bull Nose Tread** 

1-1/16" x 20" x 72

8070-24 x

**Bull Nose Tread** 1-1/16" x 24" x 60', 72", 84", 96", 120

8070-48 × 48

Bull Nose Tread 1-1/16" x 48" x 48"

8070-60 x 60

Bull Nose Tread 1-1/16" x 60" x 60"

8070-48-MR

1-1/16" x 11-1/2" x 48"

8070-54-MR

1-1/16" x 11-1/2" x 54"

8070-60-MR

1-1/16" x 11-1/2" x 60"

Mitered Return (MR) (Reversible)

Overall length includes mitered return







Overall length does not include mitered return

Single Mitered Return

RED OAK 8070-48-MR-SQ RED OAK 8070-54-MR-SQ

11-1/2" X 48" OVERALL 11-1/2" X 54" OVERALL

Double Mitered Return

WHITE OAK 8070-48-MR-SQ

11-1/2" X 48" OVERALL

WHITE OAK 8070-54-MR-SQ

11-1/2" X 54" OVERALL

# **BULL NOSED LANDING TREAD**

8090-6

11-1/2" X 42" OVERALL

11-1/2" X 54" OVERALL

11-1/2" X 60" OVERALL

8070-42-SQ

8070-54-SQ 8070-60-SQ

STRAIGHT

8090-6B BENDING (26 pieces)



# TONGUE & GROOVED BULL NOSED LANDING TREAD

8090-6-G STRAIGHT(grooved)



# TONGUE & GROOVED LUMBER

STRAIGHT (tongue & grooved) 8095-8



8095-12 STRAIGHT (tongue & grooved)



### 1" BULL NOSING

8080

STRAIGHT

8080-B

BENDING (5 pieces)



# Profile view

### REMODEL TREAD WITH RISER KIT

TREAD

Bull Nose Tread with Cove

11/16" x 10-1/2" x 42, 54, 60"

RISER

Riser

5/8" x 7-1/2" x 42, 54, 60"

RETRO-42 RETRO-54 RETRO-60





Reversible riser material for stain or paint.



### REMODEL RETURN TREAD WITH RISER KIT **Bull Nose Tread with Cove** TREAD 11/16" x 10-1/2" x 48, 54, 60" RISER Riser

5/8" x 7-1/2" x 48, 54, 60"

RETRO-48MR RETRO-54MR

RETRO-60MR




# REMODEL TREAD WITH RISER KIT


TREAD

2-1/8" Oak Tread w/roundover

RISER

Oak Riser





# REMODEL RETURN TREAD WITH RISER KIT TREAD

2-1/8" Oak Tread w/roundover Mitered return on both ends 11/16" x 10-1/2" x 48, 54, 60"

RISER Oak Riser

5/8" x 7-1/2" x 48, 54, 60"

MODERN-RETRO-42MR MODERN-RETRO-48MR MODERN-RETRO-54MR MODERN-RETRO-60MR



MODERN-RETRO-42 MODERN-RETRO-54 MODERN-RETRO-60

# RetroTread<sup>®</sup>/ RetroRiser<sup>®</sup>Kit

Stair remodeling just got a few steps easier



TREAD Bull nose tread with cove

5/8" x 11-1/2" x 42, 48, 60"

RISER

Riser - White primed Poplar 11/32" x 7-1/2" x 42, 48, 60"

YM-RETRO-42 YM-RETRO-48 YM-RETRO-60



# RetroReturnim Tread Kit Available in Red and White Oak

TREAD Bull nose fread with cove

5/8" x 11-1/2" x 50, 62"

SER Riser - White primed Poplar

YM-RETRO-48MR

YM-RETRO-48MR YM-RETRO-60MR



# RetroCraft<sup>®</sup>/ RetroRiser<sup>®</sup>Kit

Re-Style your stairway with beautiful hardwood RetroCraft®

# RetroCraft® Tread Kit Available in Red and White Oak

TREAD

Tread with Craftsman nosing 5/8" x 11-1/4" x 42, 48, 60"

RISER

Riser - White primed Poplar 11/32" x 7-1/2" x 42, 48, 60"

YM-RETRO-CRAFT-42

YM-RETRO-CRAFT-48 YM-RETRO-CRAFT-60



# RetroCraft Returning Tread Kit Available in Red and White Oak

TREAD Tread with Craftsman nosing

5/8" x 11-1/4" x 50, 62"

RISER Riser - White primed Poplar 11/32" x 7-1/2" x 48, 60"

YM-RETRO-CRAFT-48MR YM-RETRO-CRAFT-60MR



## RetroRisers White Primed Poplar

11/32" riser material Not sold separately



# RetroNosingtin

RetroNosingtm YM-NOSING Sold Separately





Manufactured by Young. Young Manufacturing Company, Inc. Covered by one or more of U.S. Patent Nos. 8,141,321; 8,720,158; 8,371,090; D661,816 S; D682,446 S Canada Patent No. 2,699,214 Other Patents Pending.



US Patents #8,141,321 #8,371,090 #8,720,158 #D661,816 S #D682,446 S #D961,117 #2,669,214 (Canadian)



Distributed by House of Forgings 353 Greens Landing Drive, Houston, TX 77038 • hfstair.com

MARNING: CANCER-WWW.P65WARNINGS.CA.GOV

# TREAD CAPS

# **AVAILABLE SPECIES**



(RO)

Red Oak

White Oak

(WO)



(ME)



(AR)



Poplar (PR)

TRADITIONAL TREAD CAP

Left Hand

8071-6-LH 6-1/2" X 11-1/2"



TRADITIONAL TREAD CAP

Right Hand

8071-6-RH 6-1/2" X 11-1/2"



FALSE TREAD CAP

8072-6 6-1/2" X 11-1/2"



# MODERN TREAD CAP

Left Hand

8071-6-SQ-LH 6-1/2" X 11-1/2"



MODERN TREAD CAP

Right Hand

8071-6-SQ-RH 6-1/2" X 11-1/2"



MODERN FALSE TREAD CAP

8072-6-SQ 6-1/2" X 11-1/2"



RISER

8076-6 6-1/2" X 8"







# STARTER STEPS

# WOOD MOULDING FLEXIBLE TRIM



Overall

## DOUBLE END STARTING STEP

Diameter: 13-3/4

Comes with: 1" Thick Tread, 6-3/4" Tall Riser

8015-48 (48" throat] (72" overall) 8015-54 (54" throat] (78" overall) 8015-60 (60" throat] (84" overall)

SINGLE END STARTING STEP

8010-48 (48" throat) (60" overall) 8010-60 (60" throat) (72" overall) 8010-72 (72" throat) (64" overall)

Comes with:
1" Trick Tread,
6-3/4" Tail Riser
Cove & Quarter Round Moulding.



RO-C8	Red Oak 2-1/2" x 11/16" Colonial Casing
PG-C8	Paint Grade 2-1/2" x 11/16" Colonial Casing
FLEX-C8	Point Grade 2-1/2" x 11/16" Colonial Casing



PG-CAP MOULD Point Grade I-1/8" x 3/8" Cap Mould



RO-6007 Red Oak 1-3/4" Filet
PG-6007 Point Grade 1-3/4" Filet



RO-6050 Red Oak 1-1/4" Flet
PG-6050 Foint Grade 1-1/4" Flet



	(1)/A* Offset)
Flex-PM-1-WG	Flexible Wood Grain 11/16" x 1/-1/4" RAB. Panel Mould
Flex-PM-1	Flexible Smooth 11/16" x 1/-1/4" RAB. Panel Mould
PG-PM-1	Paint Grade 11/16" x 1/-1/4" RAB, Panel Mould
RO-PM-1	Red Oak 11/16" x 1/-1/4" RAS, Panel Mould



RO-PM-2	Red Oak 11/16" x 1/-1/4" RAB. Panel Mould
PG-PM-2	Point Grade 11/16" x 1/-1/4" RAB. Panel Mould
Flex-PM-2	Flexible Smooth 11/16" x 1/-1/4" RAB. Panel Mould
Flex-PM-2-WG	Flexible Wood Grain 11/16" x 1/-1/4" RAB, Panel Moult



RO-PM-5	Red Dak 11/16" x 1-1/8" Flat Panel Mould
PG-PM-5	Paint Grade 11/16" x 1-1/8" Flat Fanel Mould
Flex-PM-5	Rexible Smooth 11/16" x 1-1/8" Hat Panel Mould
Flex-PM-5-WG	Flexible Wood Grain 11/16" x 1-1/8" Flot Panel Moul



RO-8050	Red Oak 7/16" x 3/4" Base Shae Mould
Flex-MS-127	Flexible Smooth 7/16" x 3/4" Base Shoe Mould
Flex-MS-127-WG	Flexible Wood Grain 7/16" v 3/4" Base Stree Maula



RO-8060	Red Ook 3/4" x 3/4" Cove Mould		
BC 90/0	O-bidiese Signale Delle Neur		



HIMBER

MDF-12

RO-8065	Red Ock 1/2" x 1/2" Cove Mould
PG-8065	Paint Grade 1/2" x 1/2" Cove Mould
Flex-MS-101	Rexible Smooth 1/2' x 1/2' Cove Mould
Flex-MS-101-WG	Flexible Wood Grain 1/2" x 1/2" Cove Mould



# 18-1/2" SPECIAL WEDGE SHAPED

Cove & Quarter Round Moulding

DOUBLE END STARTING STEP

Diameter: 12-3/4" (small end) Diameter: 16-1/2" (large end) 8915-48 (46" throat) (73-1/2" overall) 8915-54 (54" throat) (79-1/2" overall) (Reversable)

L' Trick Tread, 6-3/4" Tall Riser Cave & Quarter Round Moulding



# FALSE END STARTING STEP

Diameter: 13-3/4" Diameter: 17-1/2" Length: 17-5/6" overall Length: 21-3/4" overall 8011 8012

I" Thick Tread. 6-3/4" Tall Riser Cove & Quarter Round Moulding

STARTER STEP VENEER

Width: 8"
Length: 120"
RO-VENEER (Red Oak)

DIVINOOD						
ыушаар	_					
	DІ	v	۱A.	$\overline{}$	$^{\sim}$	n

PLY-1/4-MDF	MDF 1/4" x 4' x 8' Half Sheet 1/4" x 2' x 8'
PLY-3/4-MDF	MDF 3/4" x 4' x 8'
PLY-1/8-RO	Red Oak 1/8" x 4' x 8' Half Sheet 1/4" x 2' x 8'
PLY-1/4-RO	Red Oak 1/4" x 4' x 8' Half Sheet 1/4" x 2' x 8'
PLY-1/2-RO	Red Oak 1/2" x 4' x 8'
PLY-3/4-RO	Red Oak 3/4" x 4' x 8'
PLY-1/8-Birch	Birch 1/8" x 4' x 8'
PLY-1/4-Birch	Birch 1/4" x 4' x 8' Half Sheet 1/4" x 2' x 8'
PLY-1/2-Birch	Birch 1/2" x 4" x 8"
PLY-3/4-Birch	Birch 3/4" x 4' x 8'
PLY-3/8-Bending	Red Oak 3/8" x 4' x 8' (bending board)

RO-06	Red Oak 3/4" x 5-1/2" S4S Lumber
RO-08	Red Oak 3/4" x 7-1/4" S4S Lumber
RO-08-B	Red Oak 3/4" x 7-1/4" Bending(29 pieces)
RO-12	Red Oak 3/4" x 11-1/4" 545 Lumber
MDF-06	MDF 11/16" x 5-1/4"
MDF-08	MDF 11/16" x 7-1/4"

MDF 11/16" x 11-1/4"

# ACCESSORIES



# FIXED HANDRAIL BRACKET

2-1/2" Sq. mounting plate 3-1/2" Extension from wall 3-1/2" Height

HFSTB.3004 (SATIN BLACK)

### ADJUSTABLE HANDRAIL BRACKET

1-1/2" x 2" Mounting plate 3-1/4" Extension from wall 2-1/2" Height

HF17,4002 (STAINLESS STEEL-304) HFSTB17.4002 (SATIN BLACK)

# TRADITIONAL HANDRAIL BRACKET

2-1/16" Rd, mounting plate 3" Extension from wall

HFBC.3003 [BRUSHED CHROME] HFGD.3003 (DORADO GOLD) HFNL.3003 (NICKEL) HFORB.3003 (OIL RUBBED BRONZE) HFORC.3003 (OIL RUBBED COPPER) HFPB.3003 [POLISHED BRASS]

HFSC.3003 (SATIN CLEAR) HFAG.3003 (ASH GREY) **HFSTB.3003** (SATIN BLACK)

### WALL RAIL BRACKET

1-1/4" x 2-3/8" Mounting plate 3" Extension from wall

HFBC.3002 (BRUSHED CHROME) HFORB.3002 (OIL RUBBED BRONZE) HFORC.3002 (OIL RUBBED COPPER) HFPB.3002 HFSC.3002 (POLISHED BRASS) (SATIN CLEAR) HFAG.3002 (ASH GREY) **HFSTB.3002** (SATIN BLACK)

# NEWEL MOUNT HANDRAIL BRACKET



HF17.4001 (STAINLESS STEEL-304) HFSTB17.4001 (SATIN BLACK)

# RAIL BOLT KIT

5-9600

(Includes hex nut, spacer and 1" Red Oak plug!





# RAIL BOLT DRIVER

S-9600-D

(fits machine thread)



sold individually

# DRIVER

C-905-2D fits wood screw thread)



# **NEWEL FASTENER**

S-9403

Sure Tite

# **NEWEL FASTENER** S-9401



# **NEWEL FASTENER**

3009-IS for use with 3" newels 3019-IS for use with 3-1/2" newels



**Angle Bracket** 

# **NEWEL FASTENER** S-3007



Flush/Hidden Anchor

# **METAL ROSETTES**

# AUR® HARDWARE





# **WOOD ROSETTES**







**7033** 4"x 5-1/2" (Red Oak)

7037 4"x 5-1/2" (Red Oak)

**7039** 4"x 4" (Red Oak)

# **WOOD GLUE & FILLER**



# OAK PLUGS



RO-9001 (3/8") RO-9002 (1/2") RO-9003 (5/8") RO-9004 (3/4") RO-9005 (1") RO-9006 (1-1/4") RO-9007 (1-1/2")

# HF-T-PLUG



**EPOXY GUN-EPC-101** 



EPC-410-BLACK



# EPOXY PASTE EPC-7



Touch-Up-Paint HFSTB-12-OZ CAN SATIN BLACK





TOUCH-UP-PEN
HFSTB-PEN
SATIN BLACK
HFORB-PEN
OIL RUBBED BRONZE





# Steel | Stair Product Offering

For centuries, the utilitarian versatility of steel railings has provided an elegant foundation for stairways worldwide. Since our inception, House of Forgings has blended old-world aesthetics and forged a new concept of modern charm. Whether it be updated powder-coated angular offerings or sleek stainless products, our metal products create the new designs of the future. HF Stair and Rail has the steel and wood products for today's stairs.




# **Finishes & Patinas**



House of Forgings provides an unsurpassed selection of designs in the highest quality powder coated finishes available. Our hand applied patinas enhance the lines and hammered detail of each unique piece. As interior design trends move forward, count on us to carry the latest styles & finishes.





THESE FINISHES HAVE BEEN PROFESSIONALLY PHOTOGRAPHED WITH THE HIGHEST INTEGRITY. OUR GOAL IS TO PRODUCE THE MOST REALISTIC MATCH TO THE ACTUAL FINISHES, HOWEVER SOME SLIGHT VARIANCES MAY OCCUR.

All Images are the sole property of House of Forgings, LLC, and cannot be copied or reproduced without written permission.







STANDARD 7.5FT SATIN BLACK STANDARD 5FT SATIN BLACK

HEAVY DUTY SET SATIN BLACK
HEAVY DUTY SET SATIN BLACK
STANDARD SET SATIN BLACK

STANDARD SFT SATIN BLACK

EXTERIOR OF SATIN BLACK

HFSTB4.1.1-7.5 (.039" - 1mm) HFSTB4.1.1-5 (.039" - 1mm)

HFSTB5.1.1 (.078" - 2mm) HFSTB5.1.1-5 (.078" - 2mm) HFSTB7.1.1 (.039" - 1mm) HFSTB7.1.1-5 (.039" - 1mm) HFSTB8.1.1 (.059" - 1.5mm) Powder Coated Tubular Round Bar 1/2" Dia. x 7.5' Powder Coated Tubular Round Bar 1/2" Dia. x 5'

Powder Coated Tubular Round Bar 5/8" Dia. x 8'
Powder Coated Tubular Round Bar 5/8" Dia. x 5'
Powder Coated Tubular Round Bar 5/8" Dia. x 8'
Powder Coated Tubular Round Bar 5/8" Dia. x 5'
Powder Coated Tubular Round Bar 5/8" Dia. x 6'

Aluminum Exterior Powder Coating - A6063 - ISO11341:2004 - ISO2813:1994

HEAVY DUTY 8FT OIL RUBBED BRONZE HFORB 5.1.1 (.078" - 2mm)

Powder Coated Tubular Round Bar 5/8" Dia. x 8'

るからこのから、とは、いまないとうなる。

HEAVY DUTY SET ASH GREY

HFAG5.1.1 (.078" - 2mm)

Powder Coated Tubular Round Bar 5/8" Dia. x 8'

HEAVY DUTY SPT STAINLESS STEEL
HEAVY DUTY SPT STAINLESS STEEL

HFSS5.1.1 (.078" - 2mm) HFSS5.1.1-5 (.078" - 2mm) 304 Grade Stainless Steel Round Bar 5/8" Dia. x 8' 304 Grade Stainless Steel Round Bar 5/8" Dia. x 5'


Satin Polish Finish

Our heavy duty tubular bar is made with superior 12 gauge(2 mm / 5/56") tube stock for minimal deflection



#### The future of balustrade

Round tubular steel infill bars available powder coated, or stainless steel are a fantastic alternative to cable rail. These sleek 5/8" bars are available in a convenient 8' length, or a recently added 5' length ideal for installation and affordable shipping. Create pleasing horizontal infill designs which open the staircase sightline and make your living space feel spacious.










Ash Grey (shown)

Satin Black (shown)



# HEIGHTS

AVAILABLE EXCLUSIVELY FROM HOF ACCEPT NO IMITATIONS




## For use with treads up to 4" thick.

#### **US Patent Pending**

#### Old World meets Modern Industrial

An industry-first, modern take on traditional European side mount design with a modern industrial interpretation. Dynamic visual sightlines and added accents will make the staircase into a modern art piece.




## HARMONY

COLLECTION

AVAILABLE EXCLUSIVELY FROM HOF ACCEPT NO IMITATIONS





#### Modern Details with Traditional Accents

The Harmony Collection draws inspiration from our industry-pioneered Aalto Collection, but with traditional details which harken the European sophistication.





SATIN BLACK (STB)

ASH GREY (AG)

EXCLUSIVE



HF16.3.9 Level Base Collar - CAST IRON Base: 1-9/16" Rd. - Height: 3/8" - Wt. .15 lbs. HF16.3.60

Level Base Collar - ALUMINUM Base : 1-9/16" Rd. - Height: 3/8" - Wt. .1 lbs.

EXCLUSIVE

HF16.3.70 Level Base Collar - ALUMINUM Base: 1.33" Sq. - Height: 35" - Wt. 1 lbs.



HF16.3.19 Level Base Shoe w/Set Screw - ALUMINUM Base: 1-5/16" Sq. - Height: 1" - Wt. 1 lbs.

EXCLUSIVE




HF16.3.61 Fits angles up to 40°
Angled Base Collar - ALUMINUM
Base: 1-9/16" Rd. - Height: 3/8" - Wt. .1 lbs.



HF16.3.71 Fits angles up to 40° Angled Base Collar - ALUMINUM Base: 1.33" Sq. - Height: 35" - Wt. .1 lbs.



HF16.3.2 Angle Base Shoe w/Set Screw - ALUMINUM Base: 1-5/16" Sq. - Height: 1-7/8" - Wt. .15 lbs.









configuration options for your style 90 MIDDLE NEWEI NEWE BOTTOM BOTTOM NOTTON



NEWEL



NEWEL

Diameter: 35 mm Rd. Length: 8" Wt. 75 lbs

HF18.4.3

NEWEL

Length; 8" Wt. 35 lbs.

Diameter: 20mm Rd.



STAINLESS STEEL

HF17.4.5





BALUSTER HFSTB16.8.1 Diameter: 5/8" Rd. Tubular Length: 44" Wt. 1.35 NEWEL HFSTB16.5.11-T Diameter: 1:3/16" Rd. Tubular Length: 47" Wt	BRASS (Satin Polish - Passivated
HFSTB16.8.1 HFSTB16.5.1	
BALUSTER NEWEL	

HF18.8.3	BALUSTER	HF18.8.1	Diameter: 5/8" Rd. Tubular Leng
	NEWEL	HF18.8.3	Diameter: 1-3/16" Rd. Tubular Le

balusters/newels


ingth: 47" WI. 5.7 lbs

Polish - 304 Grade)

th: 44" Wt. 1,45 lbs.

	STAINLESS STEEL (Safin Polish - 304 Grade)
HF17.8.1	Diameter : 5/8" Rd. Tubular Length: 44" WI. 1.2 lbs.
HF17.1.2-T	Diameler: 1-3/16" Rd. Tubular Length: 47" Wt. 5.7 lbs.

BALUSTER HF18.4.1



## FOUNDATION B A L U S T E R S

#### Simple Designs are the most striking

Clean, bold lines and premium finishes create a striking modern take on traditional design.

Think wood balusters - in clean - steel.

## TUBULAR

- NO COLLARS OR SHOES REQUIRED
- AFFORDABLE STYLE







PERFECT FOR NEW CONSTRUCTION OR REMODEL
Create mega impact with these grand balusters

- · Ideal for large or small staircases
- · Perfect for replacing old wood balusters
- · Traditional or modern base shoe/collar options

#### **Bold and Stylish**

Larger 5/8" steel is a look of strength and sensibility. Often used in remodel applications, Mega balustrade provides a larger footprint when working out spacing when replacing products.

## MEGA SQUARE

### Finishes & Patinas



(STB)

ASH GREY

(AG)





OIL RUBBED BRONZE (ORB)



Pintop Diameter: 5/8" Height: 3/4"

Tubular Bar Specifications Superior 18 gauge wall thickness (1/20" / 1.27mm)





Not available in ORB

HF34.3.19
Level Base Shoe w/Set Screw - ALUMINUM
Base: 1-7/8" Sq. - Height: 1-9/16" - Wt. .1 lbs.

HF34.3.2
Angle Base Shoe w/Set Screw - ALUMINUM
Base: 1-7/8" Sq. - Height: 2-7/8" - Wt. .15 lbs.

Base: 1-7/8" Sq. - Height: 2-7/8" - Wt. .15 lb HF16.2.3 Newel Mounting Kit

EXCLUSIVE

Level Base Collar - CAST IRON Base : 2" Rd. - Height: 3/8" - Wt. .15 lbs.

HF34.3.16













Satin Black (shown)



Oil Rubbed Bronze (shown)

## WENTWORTH

ROUND HAND FORGED SQUARE RUSTIC HAMMERED





HF16.3.31

## Finishes & Patinas







SATIN BLACK (STR)

OIL RUBBED BRONZE (ORB)

SATIN CLEAR (SC)

#### ACCESSORIES

Square newel mounting kit


Round level base shoes	HF16.3.35
Round angled base shoes	HF16.3.36
Round level base collar(modern)	HF16.3.12
Square level base shoes	HF16.3.38
Square angled base shoes	HF16.3.39
Square level base collar(modern)	HF16.3.15
Pound newel mounting kit	HF16 3 33

Photos: J. Photos: N. Photos: Q.

Photos: C. Photos: G. Photos: P.

Photos: U. Photos: T.










paired geometric designs add a mid-century flare that makes a minimal statement to the home.









wn) Ash Grey (shown)

### AALTO

SQUARE



## Finishes & Patinas







SATIN BLACK (STB)

ASH GREY (AG)

DORADO GOLD (GD)

	NEWELS	HF16.5.8	HF16.5.8-T	BALLUSTERS	HF16.2.1	HF16.2.1-T	HF16.1.30	HF16.1.30-T	HF16.1.31	HF16,1.31-T	HF16.1.32	HF16.1.32-T	HF16.6.1	HF16.6.2	HF16.6.3	HF16.6.4	HF16.6.5	HF16.6.7	HF16.6.8	HF16.6.9	HF9.4.11
STB						10															
AG								•				•	•								
GD			16																		

#### ACCESSORIES


Level base shoes
Level base collars
Angled base shoes
Adjustable level base shoes
Adjustable angle base shoes
Level base collars(modern)
Angled base collars(modern)
Newel mounting kit

HF16.3.1, HF16.3.19 HF16.3.4, HF16.3.5, HF16.3.2, HF16.3.30 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.9, HF16.3.60, HF16.3.70 HF16.3.61, HF16.3.71 HF16.2.3

Photos: A. A. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. O2. Q2 Photos: O3. Q3 Photos: T.



















Satin Clear (shown)



#### ACCESSORIES

SC

Level base shoes
Level base collars
Angled base shoes
Adjustable level base shoes
Adjustable angle base shoes
Level base collars (modern)

HF16.3.26 HF16.3.40, HF16.3.43 HF16.3.27


HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47


HF16.3.10


Photos: J.
Photos: K. O.
Photos: N.
Photos: R.
Photos: S.
Photos: Q.











## TUSCAN

SQUARE HAND HAMMERED



## Finishes & Patinas





SATIN BLACK (STB)

OIL RUBBED BRONZE (ORB)

	PIEWEUS	HELLIA-T	SALUSTER	HF2.9.12	HF2.9.13	HF2,9,3	HF2.9.4	HF2,9,8	HF2,9,5	HF2,9.6	HF2,1,2	HF2.1.1	HF2,9,20	HF2.9.20-T	HF2,9,28	HF2,9,28-T	HF2.9.26	HF2.9.26-T	HF2,9,29	HF2,9,37
STB		•		٠		٠	٠		٠	٠	٠	٠	٠	٠		٠			•	
ORB													*		1		1			

#### ACCESSORIES

Level base shoes Level base collars Angled base shoes Adjustable level base shoes Adjustable angle base shoes Level base collars (modern) Newel mounting kit


HF16.3.25 HF16.3.41, HF16.3.42 HF16.3.28 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.11


Photos: G. Photos: R. Photos: S. Photos: P. HF16.3.31 Photos: T.


Photos: C.

Photos: D. H.











## MONTE CARLO | Finishes & Patinas







SATIN BLACK (STB)

OIL RUBBED BRONZE (ORB)



#### ACCESSORIES

Level base shoes HF16.3.50 HF16.3.51 Angled base shoes Level base collars (modern) HF16.3.12 HF16.3.14 Newel mounting kit

Photos: I. Photos: M. Photos: Q. Photos: U.








## Finishes & Patinas






#### ACCESSORIES

Level base shoes HF16.3.38
Angled base shoes HF16.3.39
Level base collars(modern) HF16.3.15

Photos: J. C. Photos: N. G. Photos: P.






#### **Sleek and Contemporary**

Stainless steel is a mainstay in the modern and contemporary home decor market. The simple, honest lines of this profile is the perfect complement to your urban dwelling.



## STAINLESS






HF17.1,2-T Ends: 1-3/16 Rd. Height: 47 Wt. 5.7 lbs. TUBULAR HF17.11.5-T Ends: 9/16" Rd. Height: 44" Wt. 1.25 lbs. TUBULAR

#### ACCESSORIES

Level base collar Newel mounting kit HF17.11.22 HF17.2.3 Photos: L. Photos: V.





### GOTHIC

SQUARE FACE HAMMERED



## Finishes & Patinas








SATIN BLACK (STB)

OIL RUBBED BRONZE (ORB)

COPPER (ORC)



Tubular option available in Oil Rubbed Copper(ORC)


#### ACCESSORIES

HF16.3.3, HF16.3.20, HF16.3.25 Level base shoes Photos: A. A. C. Level base collars HF16.3.41, HF16.3.42 Photos: D. H. Angled base shoes HF16.3.17, HF16.3.28 Photos: E. G. Adjustable level base shoes HF16.3.44, HF16.3.46 Photos: R. Adjustable angle base shoes HF16.3.45, HF16.3.47 Photos: S. Level base collars (modern) HF16.3.11 Photos: P. HF16.2.3 Newel mounting kit Photos: T.






from harsh square appearances.









Satin Black (shown)



Satin Black (shown)

## ROUND ROUND SMOOTH

## Finishes & Patinas









SATIN BLACK (STB)

OIL RUBBED BRONZE (ORB)

ASH GREY (AG)

	NEWELS	HF16.5.11	HF16.5.11-T	HF1.1.19	BALUSTERS	HF16.2.2	HF16.2.2-T	HF16.2.7-T	HF16.2.8-T	HF16.1.17	HF2,11.3	HF2.11.3-T	HF2,11.4	HF2.11.4-T	HF16.8.1	HF16.8.12	HF16.8.13
STB	-0			٠		٠		٠			•	•	•	٠		٠	
ORB																	
AG																	






#### ACCESSORIES

Level base shoes	HF16.3.13, HF16.3.26	Photos: L. J.
Level base collars	HF16.3.40, HF16.3.43	Photos: K. O.
Angled base shoes	HF16.3.16, HF16.3.27	Photos: M. N.
Adjustable level base shoes	HF16.3.44, HF16.3.46	Photos: R.
Adjustable angle base shoes	HF16.3.45, HF16.3.47	Photos: S.
Level base shoe, fits 5/8"	HF16.3.35	Photos: J.
Angled base shoe, fits 5/8"	HF16.3.36	Photos: N.
Level base collars(modern)	HF16.3.10, HF16.3.12	Photos: Q.
Newel mounting kit	HF16.3.14, HF16.3.33, HF16.2.9	Photos: U.
A CANADA		

For photos and full accesory details see pages 84-85





### Accent it

The Versatile collection offers endless baluster combinations in this series offers a match for your taste and style. Often used alone these versatile products also work well with the twist and basket series.









Oil Rubbed Bronze (shown)



## VERSATILE |

SQUARE



## Finishes & Patinas










SATIN BLACK (STB)


Off RUBBED BRONZE (ORB)

OIL RUBBED COPPER (ORC)

(AG)

F16,1,25-F16.1,35-F16.1.45-F16.1,25 F16.5.8-F16,1,34 16.1.34 F16.1,35 F16,1,45 F16,2,1-F16.5.8 F16.2.1 STB AG ORB ORC





#### ACCESSORIES

Level base shoes
Level base collars
Angled base shoes
Adjustable level base shoes
Adjustable angle base shoes
Level base collars (modern)
Angled base collars (modern)
Versatile style knuckle
Newel mounting kit

HF16.3.1, HF16.3.19,HF16.3.29 HF16.3.4, HF16.3.5, HF16.3.2, HF16.3.30 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.9, HF16.3.60, HF16.3.70 HF16.3.61, HF16.3.71 HF16.5.1


Photos: A. A. C. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. O2. Q2 Photos: O3. Q3 Photos: F. Photos: T.

For photos and full accessory details see pages 84-85






The ribbon style twist in this series pairs nicely with balusters from the Scroll and Versatile series. The ribbon is accented nicely by the Oil Rubbed Bronze patina and the Copper Vein finish.



# RIBBON Finishes & Patinas SQUARE SATIN BLACK (STB)





#### ACCESSORIES

Level base shoes
Level base collars
Angled base shoes
Adjustable level base shoes
Adjustable angle base shoes
Level base collars(modern)
Angled base collars(modern)
Versatile style knuckle
Newel mounting kit

HF16.3.1, HF16.3.19,HF16.3.29 HF16.3.4, HF16.3.5, HF16.3.2, HF16.3.30 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.9, HF16.3.60, HF16.3.70 HF16.3.61, HF16.3.71 HF16.5.1 HF16.2.3 Photos: A. A. C. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. O2. Q2 Photos: O3. Q3 Photos: F. Photos: T.













Oil Rubbed Bronze (shown)

# TWIST SQUARE

## Finishes & Patinas











SATIN BLACK (STB)

OIL RUBBED OIL RUBBED COPPER (ORB)

(ORC)

	MEWELS	HE16.5.4	HF16.5.4-T	HF16.5.5	HF16.5.5-T	BALUSTERS	HF16.1.1	HF16.1.1-T	HF16.1.2	HF16.1.2-T	HF16.1.3	HF16.L3-T	HF16.1.4	HF16.1.4-T	HF16,1,21	HF16.1.21-T	HF16.1.16	HF16.1.41
STB		•	6	•				•				•		٠				٠
AG																		
ORB									3			٠	•					
ORC									4									





#### ACCESSORIES

Level base shoes
Level base collars
Angled base shoes
Adjustable level base shoes
Adjustable angle base shoes
Level base collars(modern)
Angled base collars(modern)
Versatile style knuckle
Newel mounting kit

HF16.3.1, HF16.3.19,HF16.3.29 HF16.3.4, HF16.3.5, HF16.3.2, HF16.3.30 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.9, HF16.3.60, HF16.3.70 HF16.3.61, HF16.3.71 HF16.5.1 HF16.2.3 Photos: A. A. C. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. O2, Q2 Photos: O3, Q3 Photos: F. Photos: T.

For photos and full accesory details see pages 84-85



Photo	Part #	Description ACCESSORY SPECIFICATIONS	STB	AG	ORB	ORC	SC	GD.
A.	//2-Square Br HF16.3.4	seyel brise illice III (27 sp.dre bidkaten, 15/16 spudte brine stammum						
A.	HF16.3.19	usive base those with set screw, fits 1/2" square ballaters,1-5/16" square base, aluminum	(3)			-	=	7
	HF16.3.2	Angleti basin singe with set screw, fits 1/2' square basistons 1-5/16' base, oluminum	100		130		em	100
3.	HF16.3.21	Level base snoe with screw mount, lifs 1/2" square balasters,1-9/16" square base; aluminum					=	П
	HF16.5.1	Virtuality-tryln in citie with scriptowy. In 172 square polytem 17716's sizera, aluminum		m			m	ш
	HF16.3.29	Di Rubbed Fronze, levet base than with set screw, fits 1/2" square balusters, 1-1/4" square base, cast iron		=		-	=	=
3.	HF16.3.30	Of Rational Johns of production flow with additional file for Apparent parties, I. Let use confirm	H		120	ш	m	B
5.	HF16.3.4	Level base cultar, lift 1/2' squale basisters, 2' square base, aluminum					画	Π
Ł	HF16.3.5	Level base color. His 1/2 visuore baseters 1-15/16" our a case, aluminare, (GRE - cost ten)						ш
	HF16.3.9	Level base califor, fills 1/2" squale basisters, 1-9/16" round base, cast iron	100	٠			爾	N
02	HF16.3.60	volve base culta (B) 1/2 Soyon bar stor. 19/16 mund base, currious						Ħ
03.	HF16.3.61	Angled base cotor. Its 1/2" square balusters. 1-9/16" round base, aluminum				Е	a	Ξ
32.	HF16.3.70	teve base color, No 1/2 savore basiden. 135 sapare pase aumnum	1920	m		8	m	×
23.	HF16.3.71	Angled base color, fits 1/2" square balusters. 1.35" square base, aluminum		=	Ξ	=	=	
30.	The second secon	touths Accessiones			-			
4	HF16.3.3	Level bate shae. (Its 9/16" square ballusters.1-5/16" square base, aluminum	(4)					ī
4	HF16.3.20	Level base shall with set screw, this 9/16' liquide ballaties 1-9/16' square base drummum	3					ш
	HF16.3.17	Angled base shoe with set screw, fits 9/16" square balusters.1-5/16" base: aluminum			*			
3	HF16.3.41	used boys color. Mc9/16" opios bounter 2" square boys, contron			鯔			
t.	HF16.3.42	Level base collar: fits 9/16" square bolluters. 1-15/16" round base, cast iron				=	$\equiv$	Ξ
	HF16.3.11	Level tone color, lift V/16" square notation, 7-3/4" out a base, call trin	1000	100				ë
	5/8 Square Bo	Nysfer Actions (Views)						ä
6.	HF16.3.38	Layer bate whose with set screw. Alt 5/8" favore politities, 1-1/4" square base, cast rich					KI	П
3.	HF16.3.39	Angled base shoe with set screw, fits \$/8" square balusters. 1-1/4" base, cast iron						Т
	HF16.3.15	Level base collar, Nr 5/6" revers con men. 13/4" round base, confirm	1531	100	150		m	
	100000000000000000000000000000000000000	auster Accinicates					=	ä
	HF34.3.19	uevel bope shoe with set sciew, fills 3/4" square ballaters, 1-7/8" square base, our mains	la.	6				
	HF34.3.2	Angled base shoe with set screw, fits 3/4" square balluters 1-7/8" square base, aluminum			•		7	8
	HF34.3.16	Level base color th alf Tubure balurers. Zi round base, confirm	100		1	=		Ē
		dude Accessores				•	-	ä
_	HF16.3.13	Trevel base thoe. No 9/167 roand projection 1 5/167 space base, dominant	100			-		
٨.	HF16.3.16	Angled base shoe with set screw, fits 9/16" round balusters 1-5/16" base, diuminum		=	-	=	=	Ξ
	HF16.3.26	cever base those with liet screw. fitt 9/16 tround polluters 1-174, screare base, crast ron	120	m	15.00	-	120	Ē
i.	HF16.3.27	Angled base thos with set sarew, fils 9/16" round balasters, 1-1/4" base, cost from	1	-		=	No.	=
2.	HF16.3.10	Level base color tifs 9/16* Young baruters. +9/16* young base, cast you		m	100	-		ä
M.	HF17.11.22	Level base color, III: 9/16" round stainless steel bolusters. 1-1/2" round base, stainless steel	(3)	-	6230	-	=	е
+	- E-97L00000	Anter Accessorie	-	-	-	-	-	
	HF16.3.35	Level base shap with set screw, filts 5/8" round balouten 1-1/4" square base, cast iron		-	100		100	
2	HF16.3.36		0.41	=		=		Ξ
	HF16.3.50	Angled base shoe will set screw, filt 5/8" round botates; 1-5/16" square base, authorities Level base shoe with set screw. filt 5/8" round bolosteis; 1-5/16" square base, authorium.			153	_		ш
	HF16.3.51	And stoom the with of some this 5/6 found bounts, 1-5/16 both abstract	1000					
V-	HF16.3.12	Level base color, file 5/8" round bokusters 1-9/16" round base, cast ron	-		*			
2.	100000000000000000000000000000000000000	v Cultas - Periode ment allows use with enveryagities in Kond Habiteles ranging in Vice Hony 1721 to W16". Epoxy Must be used to i				-		-
	HF16.3.44	Level base shoe, fils 1/2" -9/16" (quare or round balutiers, 1-5/16" square base, cast ran			Sile	-	-	
	HF16.3.46	well believe the file 1/2 - 9/18' species incording the 1 1/2' species been existent	100	_	-			
-	Newel Mounti		100	-	-	-	-	ä
	HF16.2.3	Nevel mounting kit with level base shoe, fits 1-3/16" square newes, 3-1/6" square base, cast kor				100	-	-
	HF16.3.31		990	-	-		1020	ĕ
	0.0000000000000000000000000000000000000	News/mounting/in-with level time shot, 7% 11 square newsy, 3-1/8" (quare time, control	HOS.	-	124	_	120	=
2	HF16.3.72	Newel mounting kit with level base shoe, fits 1-3/16" square newels, 3.1" square base, 63" height, aluminum	1000	med	÷	=		Ξ
,	HF16.3.14	News mounting it with level bone from the La/Fa' coung news to 11/6' square power can rem	152	10.35			-	
Ji.	HF16.3.33	Newel mounting kit with level base shoe, fits 1" journanewek, 3-1/8" square base, cost iron			1.0			
/	HF17.2.3	New months in which a page case to 13/15 countritures that new a 13/4 countritures state and	100					
/2	HF16.2.9	News mouning kit. 5th 1-3/16" tound newes, forge coversold reparately, Panger covers, Ste. AG Statiess, Brass						
N.,	Hardal Brask	Handrali bracket, 141/4" x 23/8" mounting plate, extends out 3" from wait, aluminum	•	•		•	Ó	
Χ.,	HE3003	Also available in Brushed Chrome HFBC3002  -anatral Dirackini, 2-1716* Found prounting plate, records out 2" from wall, animous  Also available in Brushed Chrome HRBC3001, Nobel HRSC3001		13/			•	
ć.	HF.3004	Handral bracket, 2 1/2" square mounting plate, widends out 3 1/2" front wall, aluminum						


## **ACCESSORY PROFILES**




EPC-410



## FORGED PANELS





### Modern Cable

Stainless steel cable infill provides a clean, modern aesthetic with highly unabstracted visibility throughout the railing system. Accent with wood newels and rails for a warmer vibe, or pair with steel posts and rail for a modern industrial masterpiece.


#### SWAGED CABLE INFILL KITS FOR WOOD OR METAL POSTS



Outside to outside Level/balcony or angle/stair Steel or wood posts

HFC18.102-5	5'	.15 kgs (.331 lbs)
HFC18.102-10	10'	.227 kgs (.5 lbs)
HFC18.102-15	15'	.303 kgs (.669 lbs)
HFC18.102-20	20'	.383 kgs (.844 lbs)

Pre-assembled kit includes fittings and factory swaged cable in lengths 5'-20'







MINIMUM BREAKING STRENGTH - Cable Diameter 1/8" = 1,780 lbs. 1X19 STRAND TYPE 316 STAINLESS STEEL CABLE









Drill Kit



HFC18.CUTTER


Cable Cutter

HFC18.WHEEL
Used to cut cable flush
with the end of Pull-Lock
fittings, and to cut excess
threads of stud. Includes
mandrel and two cut-off
wheels

Cable cut-off wheel

AX00.070.635

AX00.070.630



## **EASY AS 1-2-3**

- What posts are you using? Wood or metal?
- Measure your level and stair runs, calculate number of level and stair fittings.
- Add up tensioners and non-tensioners, then calculate total cable footage (plus 5%).


## Push-Lock ® Fittings

Push-Lock fittings do not require any special tools for installation. Simply push the cable into the fitting and it locks.






#### SWAGELESS CABLE INFILL FOR WOOD OR METAL POSTS



Inside to ins Level/balcor Wood posts	ny or angle/stair	For use with 1/8" cable
WLN1/8-1	Wood Level Non Tensioner	.04 kgs (.092 lbs)
WLN1/8-10	Wood Level Non Tensioner(10 pack)	.31 kgs (.693 lbs)
WLT1/8-1	Wood Level Tensioner	.07 kgs (.173 lbs)
WLT1/8-10	Wood Level Tensioner(10 pack)	.68 kgs (1.5lbs)
WSN1/8-1 WSN1/8-10	Wood Stair Non Tensioner Wood Stair Non Tensioner(10 pack)	.06 kgs (.135 lbs) .5 kgs (1.12 lbs)
WST1/8-1	Wood Stair Tensioner	.09 kgs (.217 lbs)
WST1/8-10	Wood Stair Tensioner(10 pack)	.88 kgs (1.94 lbs)
Drill Kit	Cable Cutter	Driver

HFC18.CUTTER



Inside to inside Level/balcony or angle/stair Metal posts

AX00.070.625

For use with 1/8" cable

**DRIVER PL-LAG/R** 

MLN1/8-1	Metal Level Non Tensioner	.04 kgs (.087 lbs)
MLN1/8-10	Metal Level Non Tensioner(10 pack)	.29 kgs (.638lbs)
MLT1/8-1	Metal Level Tensioner	.07 kgs (.158 lbs)
MLT1/8-10	Metal Level Tensioner(10 pack)	.61 kgs (1.349 lbs)
MSN1/8-1	Metal Stair Non Tensioner	.05 kgs (.118 lbs)
MSN1/8-10	Metal Stair Non Tensioner(10 pack)	.6 kgs (1.349 lbs)
MST1/8-1	Metal Stair Tensioner	.09 kgs (.202 lbs)
MST1/8-10	Metal Stair Tensioner(10 pack)	.81 kgs (1.793 lbs)
Drill Kit	Cable Cutter	
	Yr 🦣	

HFC18.CUTTER



 UTCABLE100-4
 100' coil - 1/8" 1X19 type 316 S/S cable
 2.07 kgs (4.56 lbs)

 UTCABLE500-4
 500' spool - 1/8" 1X19 type 316 S/S cable
 10.02 kgs (22.1 lbs)

1x19 Cable(1/8" 316)

AX00.070.650

MINIMUM BREAKING STRENGTH - Cable Diameter 1/8" = 1,780 lbs. 1X19 STRAND TYPE 316 STAINLESS STEEL CABLE

AISI 316

## AXIA BLACK

**POWDER COATED 304 STAINLESS STEEL** 

(9:10") AX20,004,070,3800,4,518

1000mm(39-3/8") height

100 x 100mm(3.94" sq.) base

40 x 40 x 2mm(1-9/16" sq.)diameter

## **POWDER COATED 304 STAINLESS STEEL**













ZINC ALLOY



GLASS AX20.014.190.A.STB

BLACK CABLE


WALLHANDRAIL

HFSTB17.4002

100' Spool - 1/8" mm 1X19 cable 500' Spool - 1/8" mm 1X19 cable

ADJUSTABLE POST HANDRAIL SUPPORT

90 DEGREE ELBOW AX20.008.111.A.STB





STANDOFF AX30.017.040.A.STB



STANDOFF AX30.017.041.A.STB

SQUARE AX20.001.010.A.STB

> Post includes flange cover









## STYLE QUALITY VALUE



We offer the most in-demand, high quality stainless steel stair & railing systems at the lowest price possible. From day one, we set out to do things a little bit different. Our goal has always been to provide stainless systems that are ideal for the residential stair installer/builder while also surpassing the expectations of the most discerning homeowners.

### Sales Displays & Product Samples

Our wide variety of sales displays will provide you with the tools to sell products. We have sizes to fit your floor space. Custom displays are also available.



Axia Post Systems - Floor Display Dimensions: 56" W x 8" D x 44" H

Axia Post Systems - Table Top Display Dimensions: 30" W x 8" D x 24" H

#### Estimation Services

We offer full estimation services based on your plans. We can also offer quick-quoting based on the designs featured in our design guide.




### Product Catalog

Full line product catalog featuring: Post Railing Systems Round Series Square Series Glass Railina Systems Standoff Series **U-Channel Series** Installation Accessories



## Design Guide

Features over thirty pre-configured stair and balcony designs for inspiration and quick quoting. This guide is a valuable sales tool and visual guide to navigate our systems.



### Installation Guides

Get pro level instruction on the best way to install our systems. Loaded with tips and tricks for best results these guides cover all the basics of installation and tools/accessories.



## EXCLUSIVE PRODUCTS EXHIBIT













Panel Dimensions: 22.5" W x 2" D x 35" H



Harmony Collection - Soho Balustrade - Wentworth Collection Aalto Collection - Foundation Balusters - Horizontal Bar Railing

## MARKETING TOOLS

House of Forgings Sales & Marketing Support

Sales Displays & Product Samples

Our wide variety of sales displays will provide you with the tools to sell products. We have sizes to fit your floor space. Custom displays are also available.



Horizontal Bar Raliling Table Top Display Dimensions: 24" W x 8" D x 18" H



Powder Coated Finishes Sample Chips



Dimensions: 30" W x 8" D x 24" H

Axia Post Systems Table Top Display

Powder Coated Finishes Sample Balusters - 12" Lenath Handrail Profile Samples Carrying Case (4" x 14" x 25")

Software & Design
Web based Stair Artist stair design tool makes it easy to plan your staircase project. Our extensive library of CAD images and product photos will aid and inspire you in designing your staircase.






Marketing Literature
We offer a wide array of marketing literature designed to Support product sales: product catalogs, brochures, flyers, postcards and customized literature are available through our authorized dealer program.

## CUSTOMIZATION OPTIONS

Iron Fabrication, Finishing and More


## Transform Existing Products Into New Creations

We manage your fabrication project from start to finish, offering design services, estimation, project management and quality assurance. We take the hassle out of your project, leaving you more time and resources to focus on satisying your customers with impeccable end results.




Step 1 - EXPLORE

Find existing House of Forgings parts that inspire your vision.



Step 3 - DESIGN

We help take your rough concepts and turn them into professional designs for your final approval.



Step 2 - CONCEPT

Share your ideas and specifications for modifying an existing part.





Oil Rubbed Bronze Finish hand applied over Satin Black powdercoat

## Step 4 - FINISHED PRODUCT

Once approved, your custom product is produced (raw or powder coated) and shipped within 2-6 weeks.

## **EURO FORGE**

Access to Our World Class Manufacturing




## You Design It. We Bring It to Life!

Together with our Italian factory we bring your vision to reality. Whether you have a simple inspiration photo or detailed drawings of a single element or entire staircase we specialize in a full range of manufacturing options ideally suited to exceed your expectations.

Forging - Casting - Stamping - Bending - Rolling - Laser Cutting

Stair Parts - Decorative Panels - Window Coverings - Furniture Components - & More



## THERMA-CUT LASER CUTTING

Your drawings take shape with fully custom laser cutting for interior or exterior applications.

Sheet metal is thermally cut with high accuracy to create and transform ordinary sheet metal into decorative outdoor fencing, gates, interior panels, shelves, partitions, iron tapestries, and more.

TYPE OF MATERIAL	THICKNESS	MAXIMUM SIZE
Raw Metal(black or pickled)	20ga to 3/4"	6'6" x 13'
Pre-Galvanized	20ga to 6ga	4'11" x 13'
Corten	16ga to 3/8"	4'11" x 9'10"
Stainless 304/316	20ga to 9/16"	6'6" x 13'







Inquire for more information



hfstair.com

